


Certificate of Analysis

CJC-1295 with DAC 5 mg

Report To:
Optimal

Compound: CJC-1295 with DAC
Quantity: 5 mg
Laboratory ID: V260617-2019
Lot Number: OP-CJD.5.A
Date Reported: 7/20/2026



Chromatogram for Vial "A" shown above.

Analysis	Method	Result (per Vial)		
Chromatographic Purity	HPLC-UV/VIS	98.38%	98.01%	98.57%
Quantity	HPLC-UV/VIS	6.06 mg	6.07 mg	5.82 mg




Report By: Dustin Newman, Laboratory Director on 7/20/2026



Approved By: Tori Johnson, Operations Manager on 7/20/2026



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

CJC-1295 with DAC 5 mg

Report To:
Optimal

Compound: CJC-1295 with DAC
Quantity: 5 mg
Laboratory ID: V260617-22 019
Lot Number: OP-CJD.5.A
Date Reported: 7/20/2026

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 260625

Analysis	Method	Result
Endotoxins	LAL	Pass - <5.00 EU/mg*
BioBurden	USP <61>	Pass - No Growth Detected

*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 7/20/2026

Approved By: Tori Johnson, Operations Manager on 7/20/2026

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.